

Resin Compatibility » Food

Product	LDPE	HDPE	PP	PVC	PET		
					PET-G	PET-SAN	PS
Alcoholic beverages	2	4	1	2	1	2	2
Barbecue sauce	2	2	1	1	1	2	2
Butter	1	1	1	1	1	1	1
Caramel syrup	2	1	1	1	1	1	1
Cheese (cottage & grated)	1	1	1	1	3	1	1
Chocolate syrup	2	1	1	1	1	1	1
Cider	2	2	1	1	1	1	2
Cocoa	1	1	1	1	1	1	1
Coffee	1	1	1	1	1	1	1
Cooked fruits	2	2	1	2	2	2	4
Corn syrup	2	1	1	1	3	1	1
Cream substitute, powder	1	1	1	1	1	1	1
Fish	1	1	1	2	2	2	2
Fowl	1	1	1	2	2	2	2
Fruit sauce	2	1	1	2	2	2	2
Glucose	1	1	1	1	1	1	1
Herring, pickled	1	1	1	1	1	2	2
Honey	1	1	1	1	1	1	1
Ice cream	1	1	1	1	1	1	1
Jams & jellies	1	1	1	1	2	1	1
Juices, fruit & vegetables	1	1	1	2	1	2	1
Lard	1	1	1	1	3	1	1
Maple syrup	1	1	1	1	3	1	1

Maraschino cherries	1	1	1	1	1	1	1
Margarine	1	1	1	1	1	1	1
Meat	1	1	1	2	22	1	1
Meat sauce	1	1	1	1	2	2	2
Milk	1	1	1	1	3	1	1
Molasses	1	1	1	1	2	1	1
Mustard	1	1	1	1	1	1	2
Olives	1	1	1	1	1	2	2
Peanut butter	1	1	1	1	1	1	1
Pickles	1	1	1	1	1	2	2
Relishes	1	1	1	2	1	2	2
Salad dressing	2	1	2	1	1	2	2
Salt	1	1	1	1	1	1	1
Soft drink syrups	2	1	1	1	1	2	2
Sour cream	1	1	1	2	3	1	1
Soya sauce	2	1	1	1	1	2	2
Spices	2	2	2	1	1	2	2
Sugar	1	1	1	1	1	1	1
Sugar syrup	1	1	1	1	1	1	1
Sweet & sour sauce	2	1	1	1	3	2	2
Tea	1	1	1	1	1	1	1
Tomato ketchup	1	1	1	1	1	1	1
Vegetable oils	1	1	1	1	1	1	2
Vinegar	1	1	1	1	1	1	1
Yogurt	1	1	1	1	3	1	1

Code Key

1	Satisfactory
2	Probably satisfactory but specific applications need testing
3	No information available
4	Unsatisfactory

Resin Key

LDPE	Polyethylene low density
HDPE	Polyethylene high density
PP	Polypropylene
PVC	Polyvinyl chloride rigid
PET & PET-G	Polyester & co-polyester
SAN	Styrene acrylonitrile (SAN)
PS	Polystyrene

[Resin Compatibility](#) | [Common Chemicals](#) | [Drugs](#) | [Household Products](#)
[Cosmetics](#) | [Auto](#) | [Foods](#)